## STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name:	CHAPTER 100.1
Salvador, Catherine (ARCH/Expanded ARCH)	
Address: 2318 Awapuhi Street, Hilo, Hawaii 96720	Inspection Date: November 4, 2020 – Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.	PART 1	
FINDINGS  Resident #1, May 2020 medication record and April 27, 2020 physician order read, "Vitamin C 500 mg take 1 tablet po q8 hrs prn for anxiety." However, May 2020 medication record initialed as follows:  • 5/5 & 5/6: "8 am" and "2 pm"  • 5/7 – 5/10: "8 am" "2 pm" and "8 pm"		
Administered every six (6) hours.	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.	PART 2 <u>FUTURE PLAN</u>	
FINDINGS Resident #1, May 2020 medication record and April 27, 2020 physician order read, "Vitamin C 500 mg take 1 tablet po q8 hrs prn for anxiety." However, May 2020 medication	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
record initialed as follows:  • 5/5 & 5/6: "8 am" and "2 pm"  • 5/7 – 5/10: "8 am" "2 pm" and "8 pm"	To avoid this issue in the	12-8-20
Administered every six (6) hours.	To avoid this issue in the future, if resident needs a prin medication energy six hours instead of 8 hrs.	
	I will ask the doctor if possible to give the	
	medication every 6 hours before administer every	
	6 hours.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (m) All medications and supplements, such as vitamins, minerals, and formulas, when taken by the resident, shall be recorded on the resident's medication record, with date, time, name of drug, and dosage initialed by the care giver.  FINDINGS Resident #1 – May 2020 medication record reflected "Calcium 600 + D take 1 tablet by mouth daily," not initialed as administered May 1 – 31, 2020.	PART 1	
	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (m) All medications and supplements, such as vitamins, minerals, and formulas, when taken by the resident, shall be recorded on the resident's medication record, with date, time, name of drug, and dosage initialed by the care giver.  FINDINGS Resident #1 – May 2020 medication record reflected "Calcium 600 + D take 1 tablet by mouth daily," not initialed as administered May 1 – 31, 2020.	FUTURE PLAN  USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?  To avoid this issue in the future I will double check the MAR as soon as I finished administering the medication to make sure I signed out energthing.	

NOV 3 0 7670

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (h)(4) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.  Water supply. Hot and cold water shall be readily available to residents for personal washing purposes. Temperature of hot water at plumbing fixtures used by residents shall be regulated and maintained within the range of 100°-120°F.  FINDINGS Hot water temperature 98°F.	DID YOU CORRECT THE DEFICIENCY?  USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY  Yes, Someone came and checked water heafer temperational with the range of 100%— 100%.	11-05-20 Inve

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (h)(4) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.	PART 2 <u>FUTURE PLAN</u>	
Water supply. Hot and cold water shall be readily available to residents for personal washing purposes. Temperature of hot water at plumbing fixtures used by residents shall be regulated and maintained within the range of 100°-120°F.	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
FINDINGS Hot water temperature 98°F.	To avoid this issue in the furture. I will check water temperature at least once or week and Should maintain within the range of 100 F-12	11-05-20
	temperature at least once or week and should mainte	Fined
	within the range of 1007-12	07.

Licensee's/Administrator's Signature: CATHERINE SALVADOR

Date: 11-18-20

Licensee's/Administrator's Signature:	Out Se_	
Print Name:	CATHERINE	SAWADOR
Date:	12.8.20	